

25. Zhang HL. Treatment of depression based on differentiation of the Shaoyang Channels. *J Tradit Chin Med* 2010;30:83-92.
26. Han H, Wu LM, Wang MX, Tang JJ, Wang H, Liu RZ, *et al.* Characteristics of traditional Chinese medicine syndromes in post-stroke depression. *Zhong Xi Yi Jie He Xue Bao* 2010;8:427-31.
27. Wei XH, Cheng XM, Shen JS, Wang ZT. Antidepressant effect of Yueju-Wan ethanol extract and its fractions in mice models of despair. *J Ethnopharmacol* 2008;117:339-44.
28. Drevets WC, Price JL, Furey ML. Brain structural and functional abnormalities in mood disorders: Implications for neurocircuitry models of depression. *Brain Struct Funct* 2008;213:93-118.
29. Bremer JD, Vythilingam M, Nq CK, Vermetten E, Nazeer A, Oren DA, *et al.* Regional brain metabolic correlates of alpha-methylparatyrosine-induced depressive symptoms: Implications for the neural circuitry of depression. *JAMA* 2003;289:3125-34.
30. Sapolsky RM. Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. *Arch Gen Psychiatry* 2000;57:925-35.
31. Sapolsky RM. The possibility of neurotoxicity in the hippocampus in major depression: A primer on neuron death. *Biol Psychiatry* 2000;48:755-65.
32. Lucassen PJ, Fuchs E, Czéh B. Antidepressant treatment with tianeptine reduces apoptosis in the hippocampal dentate gyrus and temporal cortex. *Biol Psychiatry* 2004;55:789-96.
33. Lucassen PJ, Vollmann-Honsdorf GK, Gleisberg M, Czéh B, De Kloet ER, Fuchs E. Chronic psychosocial stress differentially affects apoptosis in hippocampal subregions and cortex of the adult tree shrew. *Eur J Neurosci* 2001;14:161-6.
34. Kyriakis JM, Banerjee P, Nikolakaki E, Dai T, Rubie EA, Ahmad MF, *et al.* The stress-activated protein kinase subfamily of c-Jun kinase. *Nature* 1994;369:156-60.
35. Ichijo H. From receptors to stress-activated MAP kinases. *Oncogene* 1999;18:6087-93.
36. Gupta S, Campbell D, Dériard B, Davis RJ. Transcription factor ATF2 regulation by the JNK signal transduction pathway. *Science* 1995;267:389-93.
37. Sherrin T, Blank T, Hippel C, Rayner M, Davis RJ, Todorovic C. Hippocampal c-Jun-N-terminal kinases serve as negative regulators of associative learning. *J Neurosci* 2010;30:13348-61.

Cite this article as: Li Y, Zhang C, Qiu J, Wang S, Hu S, Huang X, *et al.* Antidepressant-like effects of Chaihu-Shugan-San via SAPK/JNK signal transduction in rat models of depression. *Phcog Mag* 2014;10:271-7.

Source of Support: Nil, **Conflict of Interest:** None declared.