



















29. Iqbal S, Younas U, Chan KW, Sarfraz RA, Uddin MK. Proximate composition and antioxidant potential of leaves from three varieties of Mulberry (*Morus* sp.): A comparative study. *International Journal of Molecular Sciences* 2012;13:6651-64.
30. Suraphan N, Borompichaichartkul C, Duangmal K. Production of Antioxidation Powder from Mulberry *Morus alba* L. leaf extract. *International Symposium on Agri-Foods for Health and Wealth*; 5-8 August, 2013. p. 227-35.
31. Siddhuraju P, Becker K. Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa oleifera* Lam.) leaves. *J Agric Food Chem* 2003;51:2144-55.
32. Halvorsen BL, Carlsen MH, Phillips KM, Bøhn SK, Holte K, Jacobs DR Jr., *et al.* Content of redox-active compounds (i.e., antioxidants) in foods consumed in the United States. *Am J Clin Nutr* 2006;84:95-135.
33. Eun KM, Seung MK, Sun AY, Chang JO, Chang KS. Assessment of antioxidant capacity of sedum (*Sedum sarmentosum*) as a valuable natural antioxidant source. *Food Sci Biotechnol* 2011;20:1061-7.
34. Andallu B, Vardacharyulu NC. Effect of mulberry leaves on diabetes. *Int J Diab Dev Countries* 2001;21:147-151.
35. Andallu B, Vinay AK, Varadacharyulu N. Oxidative stress in streptozocin-diabetic rats: Amelioration by mulberry (*Moru indica* L) leaves. *Chin J Integr Med* 2012; 22:1-6.
36. Andallu B, Vinay AK, Allagadda V, Varadacharyulu N. Influence of mulberry (*Moru indica* L.) leaves on antioxidants and antioxidant enzymes in STZ-diabetic rats. *Int J Diabetes Dev Ctries* 2014;34:69-76.
37. Brijendra B, Sexena PN, Nishi S. Comparative evaluation of histochemical change in rat liver under stress of type II pyrethroids. *Int J Adv Res Technol* 2013;1:22-9.