





















- and streptozotocin-induced diabetic rats. *J Adv Pharm Technol Res* 2012;3:47-51.
61. Tadera K, Minami Y, Takamatsu K, Matsuoka T. Inhibition of alpha-glucosidase and alpha-amylase by flavonoids. *J Nutr Sci Vitaminol (Tokyo)* 2006;52:149-53.
62. Chika A, Bello SO. Antihyperglycaemic activity of aqueous leaf extract of *Combretum micranthum* (*Combretaceae*) in normal and alloxan-induced diabetic rats. *J Ethnopharmacol* 2010;129:34-7.
63. Apostolidis E, Kwon YI, Shetty K. Inhibitory potential of herb, fruit, and fungal-enriched cheese against key enzymes linked to type 2 diabetes and hypertension. *Innov Food Sci Emerg Technol* 2007;8:46-54.
64. Kajaria D, Tripathi JS, Tiwari SK. Phytochemical composition and *in vitro* antimicrobial and antioxidant activities of anti-asthmatic polyherbal compounds. *Elixir Hum Physiol* 2013;6:16666-71.
65. Copeland RA. *Enzymes: A Practical Introduction to Structure, Mechanism and Data Analysis*. New York: Wiley-VCH Inc.; 2000. p. 109-45.
66. Han X, Shen T, Lou H. Dietary polyphenols and their biological significance. *Int J Mol Sci* 2007;8:950-88.
67. Yang CY, Wang J, Zhao Y, Shen L, Jiang X, Xie ZG, *et al*. Anti-diabetic effects of *Panax notoginseng* saponins and its major anti-hyperglycemic components. *J Ethnopharmacol* 2010;130:231-6.
68. Zheng T, Shu G, Yang Z, Mo S, Zhao Y, Mei Z. Antidiabetic effect of total saponins from *Entada phaseoloides* (L.) Merr. in type 2 diabetic rats. *J Ethnopharmacol* 2012;139:814-21.
69. Liu X, Kim JK, Li Y, Li J, Liu F, Chen X. Tannic acid stimulates glucose transport and inhibits adipocyte differentiation in 3T3-L1 cells. *J Nutr* 2005;135:165-71.
70. Khalil MH, Marcelletti JF, Katz LR, Katz DH, Pope LE. Topical application of docosanol- or stearic acid-containing creams reduces severity of phenol burn wounds in mice. *Contact Dermatitis* 2000;43:79-81.
71. Krishnamoorthy K, Subramaniam P. Phytochemical profiling of leaf, stem, and tuber parts of *Solena amplexicaulis* (Lam.) Gandhi using GC-MS. *Int Sch Res Notices* 2014;2014:567409.
72. Verma VP, Kumar SH, Rani KV, Sehgal N, Prakash O. Compound profiling in methanol extract of *Kalanchoe blossfeldiana* (Flaming katy) leaves through GC-MS analysis and evaluation of its bioactive properties. *Glob J Adv Biol Sci* 2015;1:38-49.
73. Annan K, Gbedema S, Adu F. Antibacterial and radical scavenging activity of fatty acids from *Paullinia pinnata* L. *Pharmacogn Mag* 2009;5:119-23.
74. Rasmussen HE, Guderian DM Jr., Wray CA, Dussault PH, Schlegel VL, Carr TP. Reduction in cholesterol absorption is enhanced by stearate-enriched plant sterol esters in hamsters. *J Nutr* 2006;136:2722-7.
75. Venkata R, Samuel LA, Pardha SM, Narashimha RB, Naga VK, Sudhakar M, *et al*. Antibacterial, antioxidant activity and GC-MS analysis of *Eupatorium odoratum*. *Asian J Pharm Clin Res* 2012;5:99-106.