











- ischemia-reperfusion brain injury and neutrophil infiltration in rats. *Life Sci* 2002;71:2105-17.
12. Hyon JS, Kang SM, Han SW, Kang MC, Oh MC, Oh CK, *et al.* Flavonoid component changes and antioxidant activities of fermented *Citrus grandis* Osbeck Peel. *J Kor Soc Food Sci Nutr* 2009;38:1310-6.
  13. Park HY, Um YR, Ma JY. Quantitative analysis of marker substance in fermented *Rehmanniae Radix Preparata*. *Korean J Pharmacogn* 2010;41:58-61.
  14. Doh ES, Chang JP, Lee KH, Seong NS. Ginsenoside change and antioxidation activity of fermented ginseng. *Korean J Med Crop Sci* 2010;18:255-65.
  15. Hajimehdipoor H, Shekarchi M, Khanavi M, Adib N, Amri M. A validated high performance liquid chromatography method for the analysis of thymol and carvacrol in *Thymus vulgaris* L. volatile oil. *Pharmacogn Mag* 2010;6:154-8.
  16. Shekarchi M, Hajimehdipoor H, Khanavi M, Adib N, Bozorgi M, Akbari-Adergani B. A validated method for analysis of Swerchirin in *Swertia longifolia* Boiss. by high performance liquid chromatography. *Pharmacogn Mag* 2010;6:13-8.
  17. Weon JB, Yang HJ, Ma JY, Ma CJ. A HPLC-DAD method for the simultaneous determination of five marker components in the traditional herbal medicine *Bangpungtongsung-san*. *Pharmacogn Mag* 2010;7:60-4.
  18. Nanjo F, Goto K, Seto R, Suzuki H, Sakai M, Hara Y. Scavenging effects of tea catechins and their derivatives on 1,1-diphenyl-2-picrylhydrazyl radical. *Free Radic Biol Med* 1996;21:885-902.
  19. Sim KS, Nurestri AM, Norhanom AW. Phenolic content and antioxidant activity of *Pereskia grandifolia* Haw. (Cactaceae) extracts. *Pharmacogn Mag* 2010;6:248-54.
  20. Nabavi SM, Ebrahimzadeh MA, Nabavi SF, Fazelian M, Eslami B. *In vitro* antioxidant and free radical scavenging activity of *Diospyros lotus* and *Pyrus boissieriana* growing in Iran. *Pharmacogn Mag* 2009;5:122-6.
  21. Müller HE. Detection of hydrogen peroxide produced by microorganism on ABTS peroxidase medium. *Zentralbl Bakteriol Mikrobiol Hyg A* 1995;259:151-4.
  22. Satoh T, Ishige K, Sagara Y. Protective effects on neuronal cells of mouse afforded by ebselen against oxidative stress at multiple steps. *Neurosci Lett* 2004;371:1-5.
  23. Maher P, Davis JB. The role of monoamine metabolism in oxidative glutamate toxicity. *J Neurosci* 1996;16:6394-401.
  24. Chen B, Cai J, Song LS, Wang X, Chen Z. Effects of Ginkgo biloba extract on cation currents in rat ventricular myocytes. *Life Sci* 2005;76:1111-21.
  25. Zhou XQ, Zeng XN, Kong H, Sun XL. Neuroprotective effects of berberine on stroke models *in vitro* and *in vivo*. *Neurosci Lett* 2008;447:31-7.
  26. Kulkarni SK, Ashish D. Berberine: A plant alkaloid with therapeutic potential for central nervous system disorders. *Phytother Res* 2010;24:317-24.

**Cite this article as:** Yang HJ, Weon JB, Lee B, Ma CJ. The alteration of components in the fermented Hwangryunhaedok-tang and its neuroprotective activity. *Phcog Mag* 2011;7:207-12.

**Source of Support:** Grant [K09040] from the Korea Institute of Oriental Medicine, **Conflict of Interest:** None declared.

## Author Help: Online submission of the manuscripts

Articles can be submitted online from <http://www.journalonweb.com>. For online submission, the articles should be prepared in two files (first page file and article file). Images should be submitted separately.

1) **First Page File:**

Prepare the title page, covering letter, acknowledgement etc. using a word processor program. All information related to your identity should be included here. Use text/rtf/doc/pdf files. Do not zip the files.

2) **Article File:**

The main text of the article, beginning with the Abstract to References (including tables) should be in this file. Do not include any information (such as acknowledgement, your names in page headers etc.) in this file. Use text/rtf/doc/pdf files. Do not zip the files. Limit the file size to 1 MB. Do not incorporate images in the file. If file size is large, graphs can be submitted separately as images, without their being incorporated in the article file. This will reduce the size of the file.

3) **Images:**

Submit good quality color images. Each image should be less than **4096 kb (4 MB)** in size. The size of the image can be reduced by decreasing the actual height and width of the images (keep up to about 6 inches and up to about 1200 pixels) or by reducing the quality of image. JPEG is the most suitable file format. The image quality should be good enough to judge the scientific value of the image. For the purpose of printing, always retain a good quality, high resolution image. This high resolution image should be sent to the editorial office at the time of sending a revised article.

4) **Legends:**

Legends for the figures/images should be included at the end of the article file.